

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	(stor\$3 or sav\$4)near4 (system adj4 (configur \$5 near2 (parameter\$1 or valu\$2 or data or information)))with ((each or single or one) near3 (partition or cell or unit or fru or blade or insert or plug\$in)) same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 08:17
L3	1	(stor\$3 or sav\$4 or writ \$4 or protect\$4)near4 (system adj4 (configur \$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((each or single or one) near3 (partition or cell or unit or fru or blade or insert or plug\$in)) same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 08:20

L4	4	(stor\$3 or sav\$4 or writ \$4 or protect\$4)near4 (system adj4 (configur \$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi \$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 08:21
L5	8	(stor\$3 or sav\$4 or writ \$4 or protect\$4)near4 (system adj4 (configur \$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((client or partition or cell or unit or fru or blade or insert or plug \$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 08:21
L6	10	(stor\$3 or sav\$4 or writ \$4 or protect\$4)near4 (system adj4 (configur \$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug \$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or clent or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 08:23

L7	2	("7159106").URPN.	USPAT	OR	OFF	2008/07/29 08:42
L8	5	("20050149716" "6633978" "6934765" "6954852" "7159106").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 08:45
L9	2	("7159106").URPN.	USPAT	OR	OFF	2008/07/29 08:55
L10	17	("20030005096" "20030018759" "20030208675" "20040006688" "5280627" "5838907" "5948101" "6029237" "6286038" "6317826" "6347371" "6490677" "6601096" "6757723" "6804774" "6901534" "6988193").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 08:55
L11	8	("5838907" "5867713" "5870558" "5909544" "5951649" "5968116" "6012100" "6026438").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 09:03
L12	101	("6286038").URPN.	USPAT	OR	OFF	2008/07/29 09:05
L13	87	("20010043571" "20010048661" "20010052013" "20020062344" "20020066034" "20020075901" "20020097872" "20020099849" "20020152373" "20020186661" "20020191604" "20030033401" "20030108041" "20030115308" "20030117954" "20030131228" "20030169747" "20030200295" "20030212735" "20030223406" "20040042416" "20040095934" "20040141521" "20060087969"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/29 09:26

		"4667287" "5473599" "5490252" "5581705" "5633866" "5745778" "5825772" "5841973" "5875290" "5963555" "5987521" "6014382" "6032193" "6047330" "6069895" "6085238" "6098110" "6118791" "6137777" "6169739" "6169793" "6175867" "6192051" "6220768" "6226788" "6243580" "6249519" "6260072" "6260073" "6266695" "6278708" "6286038" "6295297" "6298130" "6330602" "6338092" "6405262" "6414595" "6434619" "6449650" "6463061" "6466976" "6526056" "6532088" "6542466" "6556544" "6608816" "6636516" "6639897" "6658013" "6697359" "6697360" "6738371" "6775267" "6868082" "6883170" "6938097" "6944128" "6944168" "6954429" "6985438" "7020143" "7042848").PN.				
L14	2541	713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:51

L15	1	I14 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information))))with (identifi\$6 or id)with ((each or single or one)near3 (partition or cell or unit or fru or blade or insert or plug\$in)) same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:51
L16	3038	713/1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:52
L17	1567	713/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:52
L18	0	I16 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information))))with (identifi\$6 or id)with ((each or single or one)near3 (partition or cell or unit or fru or blade or insert or plug\$in)) same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:52

L19	0	117 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((each or single or one)near3 (partition or cell or unit or fru or blade or insert or plug\$in)) same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:52
L20	4	114 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or clent or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:53
L21	1	116 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:53

		chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or clent or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))				
L22	1	17 and ((stor\$3 or sav \$4 or writ\$4 or protect \$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu \$2 or data or information)))with (identifi\$6 or id)with ((board or card or clent or partition or cell or unit or fru or blade or insert or plug \$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or clent or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:53
L23	1	((stor\$3 or sav\$4 or writ\$4 or protect\$4) near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu \$2 or data or information)))with (identifi\$6 or id)with ((each or single or one) near3 (partition or cell or unit or fru or blade or insert or plug\$in)) same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:53
L24	38235	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:58

L25	5	124 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information))))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or client or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 09:58
L26	1	"7216223".pn.	USPAT	OR	OFF	2008/07/29 10:01
L27	4	114 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information))))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or multi\$thread or chasis or server)or (multiple or plural\$5 or many or more)near3 (thread or board or card or client or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:03
L28	0	(scottman adj michaelis).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:31

L29	0	(scottman near2 michaelis).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:31
L30	0	(scottman near2 michaelis).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:31
L31	0	(scottlynn adj michaelis).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:31
L32	0	(scottlynn near2 michaelis).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:32
L33	0	(scottlynn near2 michaelis).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:32
L34	0	(scottlynn near2 michaelis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:32
L35	6	(greg near2 albrecht).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:33
L36	8	(jason near2 reasor).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:33

L37	9	((scott adj lynn) near2 michaelis).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:34
L38	66079	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:38
L39	1	i38 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or client or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:38
L40	137201	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:47
L41	103365	"375"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:47

L42	0	40 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or client or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:47
L43	0	41 and ((stor\$3 or sav\$4 or writ\$4 or protect\$4)near4 (system adj4 (configur\$5 near2 (parameter\$1 or valu\$2 or data or information)))with (identifi\$6 or id)with ((board or card or client or partition or cell or unit or fru or blade or insert or plug\$in))same ((multi\$cell or multi\$partition or chasis or server)or (multiple or plural\$5 or many or more)near3 (board or card or client or cell or partition\$3 or blade\$1 or fru\$1 or plug\$ins)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:47
L44	24	("20020124040" "20030084372" "20040003063" "5170472" "5253344" "5414851" "5450570" "5574914" "5784702" "6535998" "6633916" "6647508").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 10:55

L45	35	("20020124040" "20030069946" "20030084372" "20040003063" "20040081104" "20040260936" "20050055575" "20050076107" "5170472" "5253344" "5414851" "5450570" "5491804" "5574914" "5713009" "5784702" "5996026" "6343324" "6438671" "6442559" "6457008" "6535998" "6567841" "6633916" "6647508" "6904482" "6961761" "6973447" "6990573" "7051180" "7065761" "7082527" "7143024" "7184945" "7225276").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/29 10:57
L46	1	"7225276".PN.	US-PGPUB; USPAT	OR	OFF	2008/07/29 11:00
L47	1	"6851614".pn.	USPAT	OR	OFF	2008/07/29 11:01

7/ 29/ 2008 11:01:53 AM

C:\Documents and Settings\ npatel3\ My Documents\ EAST\ Workspaces\ 10797530_3.wsp